

Package: phscs (via r-universe)

May 14, 2026

Type Package

Title Philippine Statistical Classification Systems

Version 0.2.0

Description A unified interface to access and manipulate various Philippine statistical classifications. It allows users to retrieve, filter, and harmonize classification data, making it easier to work with Philippine statistical data in R.

Author Bhas Abdulsamad [aut, cre, cph]
(<https://orcid.org/0009-0002-5891-8124>)

Maintainer Bhas Abdulsamad <aeabdulsamad@gmail.com>

License MIT + file LICENSE

Encoding UTF-8

Imports cli, psgc

Suggests jsonlite, testthat (>= 3.0.0), gt, rmarkdown, knitr, usethis

Config/testthat/edition 3

RoxygenNote 7.3.3

Depends R (>= 3.5)

VignetteBuilder knitr

BugReports <https://github.com/yng-me/phscs/issues>

URL <https://yng-me.github.io/phscs/>, <https://github.com/yng-me/phscs>

Repository <https://yng-me.r-universe.dev>

Date/Publication 2026-05-14 18:27:59 UTC

RemoteUrl <https://github.com/yng-me/phscs>

RemoteRef HEAD

RemoteSha 0b2dd222f3ab99715b72ae90ad3205459c396403

Contents

| | |
|-------------------------------|---|
| get_pcoicop | 2 |
| get_pcpc | 3 |
| get_pscs | 3 |
| get_pscd | 4 |
| get_psgc | 5 |
| get_psic | 6 |
| get_psoc | 6 |
| shorten_region_name | 7 |

| | |
|--------------|----------|
| Index | 9 |
|--------------|----------|

| | |
|-------------|---|
| get_pcoicop | <i>Philippine Classification of Individual Consumption According to Purpose (PCOICOP)</i> |
|-------------|---|

Description

Philippine Classification of Individual Consumption According to Purpose (PCOICOP)

Usage

```
get_pcoicop(version = NULL, level = NULL, minimal = TRUE, cols = NULL)
```

Arguments

| | |
|---------|---|
| version | Character. Version of the PCOICOP dataset. Default is the latest available ("2020"). Use "2009" for the 2009 edition. |
| level | Character. Classification level: "all", "divisions", "groups", "class", "sub-class", "item", or "subitem" (default). |
| minimal | Logical. If TRUE (default), returns only value and label columns. |
| cols | Optional character vector of additional columns to include ("description" is the only extra column available). |

Value

A data frame of PCOICOP classifications.

References

<https://psa.gov.ph/classification/pcoicop>

Examples

```
pcoicop <- get_pcoicop()
pcoicop_divisions <- get_pcoicop(level = "divisions")
```

| | |
|----------|---|
| get_pcpc | <i>Philippine Central Product Classification (PCPC)</i> |
|----------|---|

Description

Philippine Central Product Classification (PCPC)

Usage

```
get_pcpc(version = NULL, level = NULL, minimal = TRUE, cols = NULL)
```

Arguments

| | |
|---------|---|
| version | Character. Version of the PCPC dataset. Default is the latest available ("2002"). |
| level | Character. Classification level: "all", "sections", "divisions", "groups", "classes", "sub-classes", or "item" (default). |
| minimal | Logical. If TRUE (default), returns only value and label columns. |
| cols | Optional character vector of additional columns to include ("description" is the only extra column available). |

Value

A data frame of PCPC classifications.

References

<https://psa.gov.ph/classification/pcpc>

Examples

```
pcpc <- get_pcpc()
pcpc_sections <- get_pcpc(level = "sections")
```

| | |
|----------|--|
| get_pscs | <i>Philippine Standard Commodity Classification System (PSCCS)</i> |
|----------|--|

Description

Philippine Standard Commodity Classification System (PSCCS)

Usage

```
get_pscs(version = NULL, level = NULL, minimal = TRUE, cols = NULL)
```

Arguments

| | |
|---------|--|
| version | Character. Version of the PSCCS dataset. Default is the latest available ("2018"). |
| level | Character. Classification level: "all", "section", "divisions", "groups", "classes", or "sub-classes" (default). |
| minimal | Logical. If TRUE (default), returns only value and label columns. |
| cols | Optional character vector of additional columns to include ("description" is the only extra column available). |

Value

A data frame of PSCCS classifications.

References

<https://psa.gov.ph/classification/pscs>

Examples

```
pscscs <- get_pscscs()
pscscs_sections <- get_pscscs(level = "section")
```

get_psced

Philippine Standard Classification of Education (PSCED)

Description

Philippine Standard Classification of Education (PSCED)

Usage

```
get_psced(version = NULL, level = NULL, minimal = TRUE, cols = NULL)
```

Arguments

| | |
|---------|--|
| version | Character. Version of the PSCED dataset. Default is the latest available ("2017"). |
| level | Character. Classification level: "all", "levels", "broadfield", "narrowfield", or "detailedfield" (default). |
| minimal | Logical. If TRUE (default), returns only value and label columns. |
| cols | Optional character vector of additional columns to include ("description" is the only extra column available). |

Value

A data frame of PSCED classifications.

References

<https://psa.gov.ph/classification/psced>

Examples

```
psced <- get_psced()
psced_levels <- get_psced(level = "levels")
```

get_psgc

Philippine Standard Geographic Code (PSGC)

Description

Re-exported from the psgc package. See [get_psgc](#) for full documentation.

Usage

```
get_psgc(
  release = latest_release(),
  geographic_level = NULL,
  include_population_data = FALSE
)
```

Arguments

release A release name from `[list_releases()]`. Defaults to `[latest_release()]`.

geographic_level

A character vector of geographic levels to filter by. Accepts canonical codes ("Reg", "Prov", "City", "Mun", "SubMun", "Bgy") as well as common aliases such as "Region", "Province", "Municipality", "Barangay", "Sub-Municipality", etc. Use "city_mun" (or aliases like "City-Municipality") to include both cities and municipalities. 'NULL' (default) returns all levels.

include_population_data

Logical. If 'TRUE', census population figures are joined onto the result, adding 'population' (integer) and 'year' columns. Each geographic unit produces one row per available census year. Defaults to 'FALSE'.

Value

A data frame of PSGC geographic data.

References

<https://psa.gov.ph/classification/psgc>

Examples

```
psgc <- get_psgc()
psgc_regions <- get_psgc(geographic_level = "region")
```

`get_psic`*Philippine Standard Industrial Classification (PSIC)*

Description

Philippine Standard Industrial Classification (PSIC)

Usage

```
get_psic(version = NULL, level = NULL, minimal = TRUE, cols = NULL)
```

Arguments

| | |
|----------------------|---|
| <code>version</code> | Character. Version of the PSIC dataset. Default is the latest available ("2019"). |
| <code>level</code> | Character. Classification level: "all", "sections", "divisions", "groups", "classes", or "sub-classes" (default). |
| <code>minimal</code> | Logical. If TRUE (default), returns only value and label columns. |
| <code>cols</code> | Optional character vector of additional columns to include ("description" is the only extra column available). |

Value

A data frame of PSIC classifications.

References

<https://psa.gov.ph/classification/psic>

Examples

```
psic <- get_psic()
psic_sections <- get_psic(level = "sections")
```

`get_psoc`*Philippine Standard Occupational Classification (PSOC)*

Description

Philippine Standard Occupational Classification (PSOC)

Usage

```
get_psoc(version = NULL, level = NULL, minimal = TRUE, cols = NULL)
```

Arguments

| | |
|---------|--|
| version | Character. Version of the PSOC dataset. Default is the latest available ("2012"). |
| level | Character. Classification level: "all", "major", "sub-major", "minor", or "unit" (default). |
| minimal | Logical. If TRUE (default), returns only value and label columns. |
| cols | Optional character vector of additional columns to include ("description" is the only extra column available). |

Value

A data frame of PSOC classifications.

References

<https://psa.gov.ph/classification/psoc>

Examples

```
psoc <- get_psoc()
psoc_major <- get_psoc(level = "major")
```

| | |
|---------------------|----------------------------|
| shorten_region_name | <i>Shorten region name</i> |
|---------------------|----------------------------|

Description

This function shortens the region names in a PSGC data frame.

Usage

```
shorten_region_name(data, which = c("label", "number"), col = "area_name")
```

Arguments

| | |
|-------|--|
| data | A data frame containing PSGC data. |
| which | Character. Specifies whether to shorten the region name by label or number. Options are "label" or "number". |
| col | Character. The name of the column containing the area names. Default is "area_name". |

Value

A data frame with the region names shortened based on the specified which argument.

Examples

```
regions <- get_psgc(geographic_level = "region")
shorten_region_name(regions)
shorten_region_name(regions, which = "number")
```

Index

[get_pcoicop](#), 2

[get_pcpc](#), 3

[get_pscs](#), 3

[get_pscd](#), 4

[get_psgc](#), 5, 5

[get_psic](#), 6

[get_psoc](#), 6

[shorten_region_name](#), 7